

Technical requirements for advertising modules placed in the journal

Medical Council (205 x 280 mm)

Supplement to the Pocket Guidelines Journal (115 x 160 mm)

Advertising modules materials shall be accepted in programs

- **Adobe Illustrator (AI or EPS) CS6 forward**
 - all raster objects in vector files should be embedded (Embed);
 - CMYK colour gamut;
 - All fonts should be converted to curves (Create Outlines).
- **PDF**
 - all fonts should be converted to curves (Create Outlines);
 - colour separation profile corresponding to the journal and location of the advertising unit should be embedded in PDF (PSO_LWC_Improved_eci.icc (block); ISOcoated_v2_eci.icc (cover))
- **Adobe Photoshop (TIFF)**
 - CMYK colour gamut without LZW compression.

Advertising materials shall be accepted complete with the attached additional preview files in PDF or JPG formats as 100%-sized.

Module layout should strictly comply with ADVERTISING PUBLICATION FORMATS.

The minimum allowable line thickness is 0.25 pt (single colour), 0.5 pt (more than one colour), 1 pt (white).

The minimum font size is 7 pt (single colour), 9 pt (inverse text).

Total ink for the cover and block is 300%.

The advertising unit should contain the mark “advertising” or “promoted content” anywhere in the unit in a font of at least 7 pt.

Warning statements:

- Medicinal products, medical services, treatment methods and medical equipment - 5% of the advertising space
- BAA - 10% of the advertising space

Standard modules

Size	Orientat ion	Medical Council	Pocket guidelines
1 page	Vert.	Bleed size 215 x 290 mm Cut size 205 x 280 mm	Bleed size 125 x 170 mm Cut size 115 x 160 mm
1\2 page	Horiz.	176 x 117 mm*	X
	Vert.	85 x 240 mm*	X
1\3 page	Horiz.	176 x 77 mm*	X
	Vert.	55 x 240 mm*	X
1\4 page		85 x 117 mm*	X

* Format to place inside the type page (you do not need to add anything to make bleed on the sides)

Modules for perforated insert (2 pages)

Medical Council	Pocket guidelines
<p>Bleed size 215 x 290 mm</p> <p>Cut size 205 x 280 mm</p> <p>Indent inward from the cut format to the major layout elements 25 mm</p>	<p>Bleed size 125 x 170 mm</p> <p>Cut size 115 x 160 mm</p> <p>Indent inward from the cut format to the major layout elements 25 mm</p>

Modules for perforated insert (4 pages)

Medical Council
<p>Bleed size 400 x 290 mm</p> <p>Cut size 390 x 280 mm</p> <p>Indent on a perforated page inward from the cut format to the major layout elements 25 mm</p>

Modules for 1st cover flap

Medical Council
<p>Top side</p> <p>Bleed size 141.5 x 225 mm</p> <p>Cut size 131.5 x 215 mm</p> <p>Back side</p> <p>Bleed size 141.5 x 290 mm</p> <p>Cut size 131.5 x 280 mm</p>

Gate-folder

Medical Council
<p>Bleed size 408 x 290 mm</p> <p>Cut size 398 x 280 mm</p> <p>Indent inward from the spine to the major layout elements 14 mm</p>